



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/330,096	06/11/1999	JUN ENOMOTO	1110-0240P	8973

7590 02/03/2004

BIRCH STEWART KOLASCH & BIRCH  
P O BOX 747  
FALLS CHURCH, VA 22040

EXAMINER

MISLEH, JUSTIN P

ART UNIT	PAPER NUMBER
----------	--------------

2612

//

DATE MAILED: 02/03/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/330,096

Applicant(s)

ENOMOTO, JUN

Examiner

Justin P Misleh

Art Unit

2612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 08 December 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1 - 10 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1 - 10 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 11 June 1999 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. §§ 119 and 120

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_
- 4) ☒ Interview Summary (PTO-413) Paper No(s). 10
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## DETAILED ACTION

### *Response to Arguments*

1. Applicant's arguments with respect to Claims 1 – 7 have been considered but are moot in view of the new grounds of rejection.

### *Claim Rejections - 35 USC § 102*

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. **Claims 1, 2, 4 – 7, 9, and 10** are rejected under 35 U.S.C. 102(e) as being anticipated by Sekine et al. For the following rejections please refer to figures 1 and 2 and columns 3 – 6.
4. For **Claim 1**, Sekine et al. disclose a digital image shooting device, comprising:
  - an image forming zoom lens (zoom lens 12);
  - an image sensor element (solid-state image sensors 14, 16, and 18);
  - a data processing unit for processing an output signal from said image sensor element (14, 16, and 18) into digital image data (see description **A** below);
  - an image memory (video tape) for storing the digital image data (color video output) and
  - a lens characteristic (aberration information code) relating to the image forming lens (zoom lens 12; see description **B** below);

Art Unit: 2612

a lens characteristic correction unit (figure 2 and as stated in column 4, lines 9 – 13 and 18 – 27) for performing, by using the stored lens characteristic of said image forming lens and a position of a frame image photographed (stored in the video tape), a process of correcting a position of a frame image photographed (by means of image memory 38), a process of correcting a deterioration of an image quality derived from said image forming lens upon the entire digital image data (by means of computing circuit 40);

wherein the image quality deterioration corrected by the lens characteristic correction unit (figure 2) is at least one of a chromatic aberration of magnification, defocusing, and a decrease in marginal lumination (see descriptions **C + D** below).

5. As for **Claim 2**, Sekine et al. disclose the digital image shooting device according to claim 1 wherein said image quality deterioration further includes a distortion aberration (see descriptions **C + D** below).

6. As for **Claim 4**, Sekine et al. disclose the digital image shooting device according to claim 1 wherein the lens characteristic unit (figure 2) performs correction before the photographing of a next frame or during the photographing of the next frame onward. Sekine et al. disclose a digital image shooting device that operates in real time with the option of operating the digital image shooting device not in real time, as indicated in column 4 (lines 64 – 66). Also Sekine et al. disclose, as stated in column 6 (lines 13 – 18), that the digital image data (color video output) of the frame that performed the correction by the lens characteristic unit (figure 2) is stored in said image memory (video tape).

Art Unit: 2612

7. As for **Claim 5**, Sekine et al. disclose the digital image shooting device according to claim 1, wherein said image memory is a built-in image recording medium or a removable image recording medium (see column 3, lines 13 – 15).

8. As for **Claim 6**, Sekine et al. disclose the digital image shooting device according to claim 1, further comprising an image display unit (see figure 2) for displaying the photographed image, wherein an image based on the digital image data **which is** or is not performed the correction process in said lens characteristic correction unit (see figure 2), is displayed on said image display unit, and the digital image data performed the correction process in said lens characteristic correction unit (see figure 2), is stored in a memory (image memory 38).

9. As for **Claim 7**, Sekine et al. disclose the digital image shooting device according to claim 1 wherein an image of a region larger than a photographic region confirmed by a photographer is formed on said image sensor element (14, 16, and 18) in accordance with missing of pixels which is caused as a result of the correction by said lens characteristic correction unit (figure 2). As stated in column 4 (lines 50 – 56), the correction performed by the lens characteristic unit (figure 2) involves interpolation between adjacent picture elements.

10. For **Claim 9**, Sekine et al. disclose a digital image shooting device, comprising:  
an image forming zoom lens (zoom lens 12);  
an image sensor element (solid-state image sensors 14, 16, and 18);  
a data processing unit for processing an output signal from said image sensor element (14, 16, and 18) into digital image data (see description A below);

Art Unit: 2612

an image memory (video tape) for storing the digital image data (color video output) and a lens characteristic (aberration information code) relating to a plurality of focal lengths (see description **B** below) of the zoom lens (12);

a lens characteristic correction unit (figure 2 and as stated in column 4, lines 9 – 13 and 18 – 27) for performing, by using the stored lens characteristic of said image forming lens and a position of a frame image photographed (stored in the video tape), a process of correcting a position of a frame image photographed (by means of image memory 38), a process of correcting a deterioration of an image quality derived from said image forming lens upon the entire digital image data (by means of computing circuit 40);

wherein the lens characteristic (aberration information code) is converted at the plurality of focal lengths to the focal length when the image is photographed (see description **B** below).

11. For **Claim 10**, Sekine et al. disclose a digital image shooting device, comprising:

an image forming lens (zoom lens 12);

an image sensor element (solid-state image sensors 14, 16, and 18) optically coupled to said lens;

a data processing unit operatively connected to said image sensor element (14, 16, and 18) and receiving an output signal from said image sensor element (14, 16, and 18) and converting the output signal into digital image data (see description **A** below);

an image memory (video tape) operatively connected to said data processing unit, the digital image data (color video output) and a lens characteristic (aberration information code) relating to the image forming lens (zoom lens 12) being stored in said image memory (video tape; see description **B** below);

Art Unit: 2612

a lens characteristic correction unit (figure 2 and as stated in column 4, lines 9 – 13, 18 – 27, and 50 – 56 and column 6, lines 31 – 36) operatively connected to said image memory (video tape), said lens characteristic correction unit (figure 2) correcting a deterioration of an image quality derived from said image forming lens (zoom lens 12) upon the digital image data (color video output) by using the stored lens characteristic of said image forming lens (zoom lens 12) and a position of a frame image photographed (stored in the video tape);

wherein the image quality deterioration corrected by the lens characteristic correction unit (figure 2) is a distortion aberration and a chromatic aberration of magnification (see description C below).

### **Descriptions**

A. Sekine et al. is silent with regard to a data processing unit for generating digital image data, however, a video signal processing circuit (20) is provided, which performs known processes on the outputs of the image sensor element. A recording circuit (22) records the color video output of the video signal processing circuit (20) on a video tape together with an aberration information code which is digitized and provided by a ROM (32). Thus, since the aberration information code is recorded together with the color video output onto the video tape, it is inherent that either the known processes performed by the video processing circuit (20) or the recording circuit (22) at least include a step to digitize the color video output. If the color video output were not digitized, it would be impossible to record it together with the digitized aberration information code on the video tape.

Art Unit: 2612

**B.** Sekine et al. disclose, as stated in column 3 (lines 34 – 36 and 49 – 67), an aberration information code, which has been digitized by the A/D (30). The aberration information provided to the A/D (30) is generated by the potentiometers (24, 26, and 28) of the zoom lens (12). The potentiometers (24, 26, and 28) detect the object distance, focal length, aperture value of the iris of the zoom lens (12), respectively. An A/D (30) is arranged to digitize the outputs of the potentiometers (24, 26, and 28). The digitized potentiometer (24, 26, and 28) outputs are provided to a digital microcomputer (34), which compares them to tabular codes stored in ROM (32) to generate a digital aberration information code to be recorded with the color video output, on a video tape, in the recording circuit (22). Therefore, for each new object distance, focal length, and/or aperture value of the iris of the zoom lens (12), a new aberration information code is generated and recorded together with the color video output.

**C.** Chromatic aberration of magnification is caused by a difference in light wavelength. The focal length or magnification of a lens varies according to the wavelength of each type of incident light. Sekine et al. clearly states, in column 3, that the focal length of the zoom lens (12) at the time of shooting the image is included in the aberration information code. Thus, chromatic aberration of magnification is corrected. Marginal lumination is a drop in brightness at the edges of a photograph. Sekine et al. also clearly states, in column 3, that the aperture value of the iris of the zoom lens (12) at the time of shooting the image is included in the aberration information code. Thus, marginal lumination is corrected. Distortion aberration is inherent to all lenses. The aberration information code includes a plurality of aberration information of the zoom lens (12), also as clearly stated in column 3. Thus, as indicated in Sekine et al., in column 6 (lines 31 – 36), image distortion is corrected in accordance with aberration information which indicates any



Art Unit: 2612

aberration that takes place at the time of shooting wherein image distortion results from the aberration of the photo-taking lens (12). Therefore, Sekine et al. corrects for a distortion aberration, chromatic aberration of magnification, and marginal lamination.

**D.** Claim 1 requires **at least one of a** chromatic aberration of magnification, defocusing, and a decrease in marginal lamination. Thus, since Sekine et al. disclose the correction of chromatic aberration of magnification and decrease in marginal lamination, individually and combined. Sekine et al. disclose at least one of a chromatic aberration of magnification, defocusing, and a decrease in marginal lamination.

***Claim Rejections - 35 USC § 103***

12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

13. **Claims 3 and 8** are rejected under 35 U.S.C. 103(a) as being unpatentable over Sekine et al.

14. As for **Claim 3**, Sekine et al. disclose a digital image shooting device according to claim 1 wherein the lens correction unit (figure 2) corrects the deterioration of the image quality.

However, Sekine et al. is silent with respect to a process of compressing the digital image data.

Official Notice is taken that both the concepts and advantages of compressing the digital image data are well known and expected in the art. Since, at the time the invention was made, lossless compression is impossible, it would have been obvious to compress the corrected digital image

Art Unit: 2612

data to prevent deterioration of the aberration information code and further deterioration of image quality.

15. As for **Claim 8**, Sekine et al. disclose a single image formation lens (zoom lens 12) with potentiometers (24, 26, and 28). The potentiometers (24, 26, and 28) detect the object distance, focal length, aperture value of the iris of the zoom lens (12), respectively. An A/D (30) is arranged to digitize the outputs of the potentiometers (24, 26, and 28). The digitized potentiometer (24, 26, and 28) outputs are provided to a digital microcomputer (34), which compares them to tabular codes stored in ROM (32) to generate a digital aberration information code to be recorded with the color video output, on a video tape, in the recording circuit (22). Therefore, for each new object distance, focal length, and/or aperture value of the iris of the zoom lens (12), a new aberration information code is generated and recorded together with the color video output. Since, Sekine et al. disclose the generation of the aberration information code from the aberration information of three potentiometers (24, 26, and 28) and the tabular codes provided in ROM (32), at the time the invention was made, one with ordinary skill in the art would have been motivated to include a plurality of image forming lenses, rather than a single image forming lens, wherein each image forming lens is provided with three potentiometers to provide aberration information to the ROM (32). Therefore, at the time the invention was made, it would have been obvious to one with ordinary skill in the art to have included a plurality of image forming lenses.

Art Unit: 2612

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Justin P Misleh whose telephone number is 703.305.8090. The Examiner can normally be reached on Monday - Thursday from 7:30 AM to 5:30 PM and on alternating Fridays from 7:30 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy R Garber can be reached on 703.305.4929. The fax phone number for the organization where this application or proceeding is assigned is 703.872.9314.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is 703.306.0377.

*JPM*

*January 15, 2004*



NGOC-YEN VU  
PRIMARY EXAMINER